Application Note



Angst+Pfister Sensors and Power is a company with a long track record in life science, serving medical device manufacturers across the globe for many decades.

Gas Chromatographs (GC) enable the chemical analysis of a sample and characterization of different components

"Thanks to Angst+Pfister Sensors and Power, we were able to massively improve our process stability and repeatability"



Example GC (source: Agilent)

How can Gas Chromatographs be improved with the high-precision mass flow controller PFLOWC5001/2?

- Measurement of the flow medium's calorimetry to improve linearity
- Optimization of the calibrated measuring span
- Mass flow detection of multiple gases, without recalibration
- High precision
- High IP-protection class



What are the advantages of APSP pressure sensors for Gas Chromatographs?

- High accuracy miniature pressure sensor AG2/ AG4
- Backward gage sensor resistant towards temporary humidity exposure (e.g. condensation when changing to fresh, cold gas bottle)
- Manifold-mountable for easy integration in pneumatic block
- Individual range calibration for optimization of usable span



Angst+Pfister Sensors and Power AG Thurgauerstrasse 66 CH-8050 Zurich <u>sensorsandpower@angst-pfister.com</u> <u>sensorsandpower.angst-pfister.com</u>



Application Note



How can the digital and factory-calibrated SMT172 improve monitoring of gas temperature in Gas Chromatographs?

- Digital temperature sensor with PWM output for error-free transmission over long distances
- Extremely high accuracy of ±0.04°C
- Very high Signal-to-noise ratio
- Fast response time of t63%=0.6s, to quickly detect temperature changes
- High repeatability of 0.01°C to increase process stability
- Extremely high efficiency to eliminate self-heating



What advantages do APSP customized gas sensors offer to enhance the efficiency and sustainability of Gas Chromatographs?

- Realization of customer-specific gas sensing solutions including gas preand post-treatment
- Engineering support from design-in to serial production
- High quality integration of gas sensing solutions with appropriate gas measurement technology
- Flexible output signal using smart algorithms to avoid post-processing
- Long life-time with low maintenance products



How can you benefit from APSP medical power supplies/ DC-DC converters while increasing user safety?

- Compact form factor for reduced space demand
- High efficiency and low no-load energy consumption
- Extremely low leakage current
- High EMC- class
- BF (body floating) and even CF (cardiac floating) insulation
- Specific safety approval
- Design-in engineering and certification support
- Flexible customization even for smaller quantities



Angst+Pfister Sensors and Power AG Thurgauerstrasse 66 CH-8050 Zurich <u>sensorsandpower@angst-pfister.com</u> <u>sensorsandpower.angst-pfister.com</u>



Application Note



What are the advantages of A+P elastomer components for Gas Chromatographs?

- With our A+P specialists we realize the most suitable and efficient solutions for demanding Life Science applications in terms of sealing, fluid handling and antivibration
- Comprehensive know-how in high-performance elastomers from choice of raw materials to final testing and serial production
- Solutions designated for vacuum systems/ pumps
- Extremely high chemical resistance against most liquids and chemicals
- Great range of possible operating temperatures from -60°C up to +250°C
- High resistance to pressure, compression and deformation
- Low steam permeability and minimum water absorption combined with low cold flow compared to PTFE
- High durability and reliable service
- Non-adhesive smooth surface
- Fully customizable molded specials (e.g. inflatable door sealing AIRMATIC® for pressurized/vacumized chambers)
- Multiple approvals and conformities









Everything from a single source!

Very fast and flexible engineering prototypes for customized solutions.

Angst+Pfister Sensors and Power AG Thurgauerstrasse 66 CH-8050 Zurich sensorsandpower@angst-pfister.com sensorsandpower.angst-pfister.com





We are here for you. Addresses and Contacts.

Headquarter Switzerland:

Angst+Pfister Sensors and Power AG
Thurgauerstrasse 66
CH-8050 Zurich
Phone +41 44 877 35 00
sensorsandpower@angst-pfister.com

Office Germany:

Angst+Pfister Sensors and Power Deutschland GmbH
Edisonstraße 16
D-85716 Unterschleißheim
Phone +49 89 374 288 87 00
sensorsandpower.de@angst-pfister.com

Scan here and get an overview of personal contacts!



sensorsandpower.angst-pfister.com